updated Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	228	TCE NEAR3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/11/24 18:45
L2	86	"Translation Control Entry"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L3	1348	hypervisor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L4	61301	DMA ("direct memory access")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L5	. 68	(L2 L1) AND L3 AND L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L6	22	("6961785" "5634130" "5642506" "6658594" "6802063" "6717594" "6745269" "6728864" "6823375" "6834340" "6820207" "6567897" "6665759" "6842857" "6971002" "6883116" "6865688" "6845470" "6981079" "6886064" "6941436" "6912625").pn.	USPAT	OR .	ON	2007/11/24 18:45
L7	39	L5 AND reserv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

			LIC DODUE	OD .	ON	2007/11/24 19:45
L8	91	(L2 L1) AND L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L9	39	L8 AND L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L10	63	L2 AND "international business machine".AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L11	77	L1 AND "international business machine".AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L12	86	"Translation Control Entry"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L13	228	TCE NEAR3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L14	1348	hypervisor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L15	61301	DMA ("direct memory access")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

Page 2
C:\Documents and Settings\sgu\My Documents\EAST\Workspaces\10809594 Method to Allow PCI Host Bridge to Handle Pre-fetch Read

L16	68	(L12 L13) AND L14 AND L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L17	91	(L12 L13) AND L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L18	39	L16 AND reserv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L19	39	L17 AND L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L20	39	L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L21	28	(L12 L13) SAME (valid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L22	75	(reserving NEAR2 page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L23	150	(reserving NEAR5 page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

Page 3 Page 3
C:\Documents and Settings\sgu\My Documents\EAST\Workspaces\10809594 Method to Allow PCI Host Bridge to Handle Pre-fetch Read

L24	86	"Translation Control Entry"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L25	228	TCE NEAR3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L26	11	(L24 L25) AND (TLB "translation lookaside buffer")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

			1	00	AN 1	2007/44/24 40:45	
L27	196	("6173383" "6785759" "6654818"	USPAT	OR	ON	2007/11/24 18:45	
		"6976148" "5864876" "5933158"					
		"5999198" "6804741" "6704831"					
		"6012106" "6725284" "5930827"					
		"6397316" "6920519" "5898888"					
		"5623697" "6338119" "6725289"				·	
		"6223270" "6223270" "4777589"					
		"5301287" "5749093" "5784708"					
		"5913923" "6397379" "5535352"					
		"6886085" "6611883" "6813653"					
	œ	"5761461" "5761462" "5835738"			Ì		
		"5913045" "5522050" "556 4 026"					
•		"5581714" "5884027" "5884100"					
		"6141744" "5822612" "5941952"					
		"5970229" "6006303" "6167465"					
		"6326973" "6434645" "6462745"			ĺ		
		"5664117" "5905509").pn.					
		("5914730" "5949436" "5990914"					
		"6065104" "6069638" "6223271"					
		"6223271" "6249853" "6282625"			ļ		
		"6308248" "6332184" "6418523"					
		"6560688" "5884050" "5943504"					
		"5968153" "6230215" "6456390"					
		"6763473" "6880022" "4797812"					
		"6549959" "6779107" "6789181"					
		"5991854" "6105110" "4550368"					
		"4959770" "5444853" "5586297"					
		"5649230" "5659798" "5754764"					
		"5765022" "5860025" "5937436"	}				
		"6226695" "6226695" "4283551"					
	ļ	"5956743" "4930065" "5251307"					
		"5617424" "4163280" "4827406"					
		"5179709" "5349661" "5586253"				•	
		"5615392" "5732285").pn.					
		("5796979" "5870535" "5884093"					
		"5890220" "5930830" "6128684"					
		"6264914" "6304951" "6067595"					
		"6145043" "6622193" "4821185"		ļ			
		"5666556" "5768612" "5878272"					
		"6094699" "6112307" "6138183"					
		"6209042" "5450551" "5524235"					
		"5664197" "5717876" "5729762"					
	.	"5729767" "5734846" "5774681"					
		"5778235" "5862387" "5911084"					
		"5928339" "5937206" "5968144"					
		"5974239" "6044207" "6047349"					ĺ
		"6094532" "6134647" "5555383"					
		"5625824" "5673399" "5790869"				•	
		"5954809" "5990913" "6081852"					
		"6122693" "6167032" "5499346"					ļ
		"5590377" "5671443").pn.		1			
		("5708815" "5732279" "5737545"					
		"5768545" "5790831" "5819105"					1
		"5832246" "5857085" "5875289"					
		"5890002" "5892977" "5905905"					
11/24/	2007 6.50.57	"5968151" "5974478" "5974495"				Page 5	5
C+\Dac	uments and S	PM"5978876" "6000043" "6006270"	ces\10809594 Me	thod to Allow	PCI Host	Bridge to Handle Pre-fe	tch Re
	unicile alla 3	ettipgs(squ)My pocuments/F620906755Pa		1	i		1

		LAST Search	,			
L28	1	"20050216642"	US-PGPUB	OR	ON	2007/11/24 18:45
L29	3248	(set setting resetting reset) WITH (each every all) WITH (bit) WITH (one "1" "true" "high")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L30	304	L29 AND (memory NEAR3 (test testing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/11/24 18:45
L31	353	L29 AND (memory NEAR5 (test testing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L32	104	(memory NEAR3 (test testing)) AND ((test bit byte) NEAR3 (pattern)) WITH ("FF" "FFFF" "1111" "1111111")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L33	1112	L29 AND memory AND (test testing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L34	0	(set\$4 reset\$4 format\$4) WITH (all every each) WITH (byte) WITH ("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L35	135	(set\$4 reset\$4 format\$4) WITH (byte) WITH ("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

Page 6
C:\Documents and Settings\sgu\My Documents\EAST\Workspaces\10809594 Method to Allow PCI Host Bridge to Handle Pre-fetch Read

L36	2	(set\$4 reset\$4 format\$4 writ\$3 stor\$3 re-initializ\$3 reinitializ\$3 initializ\$3) WITH (all every each) WITH (byte) WITH ("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/11/24 18:45
L37	. 293	(set\$4 reset\$4 format\$4) NEAR5 ("0xFF") AND memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L38	312	(set\$4 reset\$4) NEAR5 ("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L39	2270	("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L40	45	(memory NEAR3 (test testing)) AND ((test bit byte) NEAR3 (pattern)) WITH ("FF" "11111111")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L41	897	(memory NEAR3 (test testing)) AND ((test bit byte) NEAR3 (pattern)) WITH ("FF" "FFFF" "11" "1111" "11111")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L42	6450	(memory NEAR3 (test testing)) AND ((test bit byte) NEAR3 (pattern)) AND ("FF" "FFFF" "11" "1111" "111111")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

11/24/2007 6:50:57 PM

C:\Documents and Settings\sgu\My Documents\EAST\Workspaces\10809594 Method to Allow PCI Host Bridge to Handle Pre-fetch Read

Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5427	(DMA ("direct memory access")). CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:54
L2	16	((TCE NEAR3 table) "Translation Control Entry").CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/24 18:55
L3	. 81	((reserving reservation reserved reserves reserve) NEAR2 page). CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:56
L5	1	(initializ\$5 re-initializ\$5). CLM. WITH L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:06
L6	2	(initializ\$5 re-initializ\$5 reinitializ\$5). CLM. SAME L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:57
L7	13	(set setting sets format formats formating reset resets reseting). CLM. WITH L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:07
L8	0	L7 AND L2 AND L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:07
L9	1	L7 AND L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:07

L10	0	L7 AND L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	ON	2007/11/24 19:07
			IBM_TDB		

11/24/2007 7:08:08 PM
C:\Documents and Settings\sgu\My Documents\EAST\Workspaces\10809594 Method to Allow PCI Host Bridge to Handle Pre-fetch Read

Dialog	DataS	$tar_{\scriptscriptstyle{\mathbb{C}}}$			and the second
options	logoff	feedback	help		56
				databases easy search	INSPEC.
			_	Advanced Search: spec - 1898 to date (INZZ)	
				limit	

Searci	n history:				
No.	Database	Search term	Info added since	Results	
СР		[Clipboard]	·	0	-
1	INZZ	DMA OR direct ADJ memory ADJ access	unrestricted	3797	show titles
2	INZZ	TCE NEAR table OR Translation ADJ Control ADJ Entry	unrestricted	2	show titles
3	INZZ	(reserving OR reservation OR reserved OR reserves OR reserve) NEAR page	unrestricted	14	show titles
4	INZZ	(initializ\$5 OR re-initializ\$5 OR reinitializ\$5) WITH 3	unrestricted	0	-
5	INZZ	(initializ\$5 OR re-initializ\$5 OR reinitializ\$5) SAME 3	unrestricted	0	-
6	INZZ	(set OR setting OR sets OR format OR formats OR formating OR reset OR resets OR reseting) WITH 3	unrestricted	0	-
7	INZZ	4 ADJ 5 ADJ 6 AND 1 AND 2	unrestricted	0	-
8	INZZ	6 AND 1 AND 2	unrestricted	0	
9	INZZ	6 AND 2	unrestricted	0	
10	INZZ	6 AND 1	unrestricted	0	<u>-</u>

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): <u>Search tips</u>	whole document	
Information added since: or: none (YYYYMMDD)	<u>.</u>	search
☐ Images		

Select special search terms from the following list(s):